


ORNAMENTAL GATE HARDWARE | GATE END GUIDE

		1.25"sq x 16ga	1.75"sq x 14ga	2"sq x 12ga
STEEL	Montage Gates	●		
	Montage Arched Gates	●		
	Montage Plus Gates		●	
	Montage Plus Arched Gates		●	
	Montage Plus Estate Gates			●
	Montage Commercial Gates		●	
	Montage Commercial Arched Gates		●	
	Montage Commercial Estate Gates			●
	Montage II Gates			●
	Montage II Arched Gates			●
	Montage II Estate Gates			●
	Aegis Gates	●		
	Aegis Plus Gates		●	
	Aegis II Gates			●
	Impasse II Gates			●

		1.25"sq x .125"wall	1.75"sq x .125"wall	2"sq x .250"wall
ALUMINUM	Aegis Plus Arched Gates			●
	Echelon Gates	●		
	Echelon Arched Gates	●		
	Echelon Plus Gates		●	
	Echelon Plus Arched Gates			●
	Echelon II Gates			●
	Estate Gates			●


Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS




DESCRIPTION	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
D&D Single Gate Hardware Kits	1.125"	.75"	DSKM*	1	2 lbs
	1.125"	.75"	DSKP**	1	3 lbs

*DSKM Kit includes: (1) pr. #TCAMA1 | (1) ea. #LLAAB
 **DSKP Kit (for pools) includes: (1) pr. #TCAMA1 | (1) ea. #MLTPS2BGA
 Kits for use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates
 These kits are **NOT FOR USE** with gate leaves weighing over 62 lbs. | Available in BLACK only




D&D Heavy Duty Single Gate Hardware Kit	.75"	.75"	TCSGK	1	3 lbs
--	------	------	-------	---	-------

TCPGK Kit includes: (1) pr. #8000-2115 | (1) ea. #LLDAB-KSA
 Kits for use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates
 These kits are **NOT FOR USE** with gate leaves weighing over 132 lbs. | Available in BLACK only




D&D Heavy Duty Single Gate Pool Safety Hardware Kit	.75"	.75"	TCPGK	1	3 lbs
--	------	------	-------	---	-------

TPSGK Kit (for pools) includes: (1) pr. #8000-2115 | (1) ea. #MLTPS2BGA
 Kits for use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates
 These kits are **NOT FOR USE** with gate leaves weighing over 132 lbs. | Available in BLACK only



D&D Double Gate Hardware Kit	.75"	.75"	DDKM	1	5 lbs
---	------	------	------	---	-------

DDKM Kit includes: (2) pr. #8000-2081 | (1) ea. #LLAAB | (1) ea. #QB124
 Kits for use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates
 These kits are **NOT FOR USE** with gate leaves weighing over 62 lbs. | Available in BLACK only




Bolt-On Hinge Kits for 1.25\"/>
--

*SGBS2 Kit (for single swing gates) includes: (1) pr. #HB404 | (1) pr. #HB403 | (1) ea. #HB301 | (1) ea. #HB402
 **SGBD2 Kit (for double swing gates) includes: (3) pr. #HB404 | (2) pr. #HB403 | (1) pr. #HB301 | (1) ea. #HB401 | (1) ea. #HB316
 Kits for use with: Montage Gates | Montage Arched Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates
 These kits are **NOT FOR USE** with gate leaves weighing over 90 lbs.

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS



DESCRIPTION	SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Bolt-On Hinge Kits for 1.75\" Uprights with Fork Latch	1.75\" x 2.5\"	2\"	2\"	AG⊗S25*	1	5 lbs
	1.75\" x 3\"	2\"	2\"	SG⊗S3**	1	6 lbs
	1.75\" x 2.5\"	2\"	2\"	AG⊗D***	1	15 lbs
	1.75\" x 3\"	2\"	2\"	SG⊗D3****	1	16 lbs


*AG⊗S25 Kit (for single swing gates) includes: (1) pr. #HB413 | (1) pr. #HB414 | (1) ea. #HB311

**SG⊗S3 Kit (for single swing gates) includes: (1) pr. #HB415 | (1) pr. #HB414 | (1) ea. #HB311 | (1) ea. #HB412

***AG⊗D Kit (for single swing gates) includes: (2) pr. #HB413 | (3) pr. #HB414 | (1) ea. #HB410 | (1) ea. #HB311 | (1) ea. #HB316

****SG⊗D3 Kit (for double swing gates) includes: (2) pr. #HB415 | (3) pr. #HB414 | (1) ea. #HB410 | (1) ea. #HB311 | (1) ea. #HB316


Kits for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates



Box Hinge Kit for 1.75\" Aluminum Uprights & Steel Posts with Fork Latch	1.75\"	2.375\"	2\"	AG⊗DX	1	22 lbs
---	--------	---------	-----	-------	---	--------

AG⊗DX Kit (for double swing gates) includes: (2) pr. #HU518 | (1) ea. #HB311 | (1) ea. #HB410 | (1) ea. #HB414 | (1) ea. #HB316

Kit for use with: Echelon Plus Gates



Box Hinge Kit for 2\" Aluminum Upright & Steel Post with Fork Latch	2\" x 2.5\"	2.375\"	2\"	EG⊗SX25*	1	9 lbs
	2\" x 3\"	2.375\"	2\"	EG⊗SX3**	1	9 lbs
	2\" x 2.5\"	2.375\"	2\"	EG⊗DX***	1	23 lbs

*EG⊗X25 Kit (for single swing gates) includes: (1) pr. #HU518 | (1) ea. #HB411 | (1) ea. #HB420

**EG⊗SX3 Kit (for single swing gates) includes: (1) pr. #HU518 | (1) ea. #HB412 | (1) ea. #HB420

***EG⊗DX Kit (for double swing gates) includes: (2) pr. #HU518 | (1) pr. #HB416 | (1) ea. #HB316 | (1) ea. #HB420 | (1) ea. #HB402


Kits for use with: Estate Gates | Aegis Plus Arched Gates | Echelon Plus Arched Gates | Echelon II Gates

⊗ = COLOR OPTIONS AVAILABLE | B = Black | N = Bronze | S = Sand

HC = hinge clearance | LC = latch clearance

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS



SINGLE


DESCRIPTION	SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Residential Hinge Kit for .25\"/>	1.25\"/>	1\"/>	2\"/>	RG⊗S*	1	10 lbs
	1.25\"/>	1\"/>	2\"/>	RG⊗D**	1	17 lbs

*RG⊗S Kit (for single swing gates) includes: (1) pr. #MRH180R | (1) ea. #HB402 | (1) ea. #HB301


**RG⊗D Kit (for double swing gates) includes: (2) pr. #MRH180R | (1) ea. #HB401 | (1) ea. #HB301 | (1) pr. #HB404 | (1) ea. #HB316

Kits for use with: Montage Gates | Aegis Gates | Echelon Gates

These kits are **NOT FOR USE** with gate leaves weighing over 120 lbs.



DOUBLE



SINGLE

Commercial Hinge Kit for 1.75\"/>	2.5\"/>	1\"/>	3\"/>	CG⊗S-25*	1	12 lbs
	2.5\"/>	1\"/>	3\"/>	CG⊗D**	1	19 lbs


*CG⊗S-25 Kit (for single swing gates) includes: (1) pr. #MCH180R | (1) ea. #DSB250

**CG⊗D Kit (for double swing gates) includes: (2) pr. #MCH180R | (1) ea. #DSB200


NOTE: Recommend DLB100 for each gate leaf.

Kits for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

These kits are **NOT FOR USE** with gate leaves weighing over 240 lbs.



DOUBLE




SINGLE

Commercial Hinge Kit for 1.75\"/>	3\"/>	1\"/>	3\"/>	CG⊗S-3	1	15 lbs
-----------------------------------	-------	-------	-------	--------	---	--------

CG⊗SA Kit (for single swing gates) includes: (1) pr. #MCH180R | (1) ea. #DSB300

Kit for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

These kits are **NOT FOR USE** with gate leaves weighing over 240 lbs.



SINGLE

Commercial Hinge Kit for 1.75\"/>	4\"/>	1\"/>	3\"/>	CG⊗S-4	1	17 lbs
-----------------------------------	-------	-------	-------	--------	---	--------

CG⊗SA Kit (for single swing gates) includes: (1) pr. #MCH180R | (1) ea. #DSB100

Kit for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates


These kits are **NOT FOR USE** with gate leaves weighing over 240 lbs.

⊗ = COLOR OPTIONS AVAILABLE | B = Black | N = Bronze | S = Sand | Hinges are available in BLACK only

HC = hinge clearance | LC = latch clearance

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS



SINGLE

DESCRIPTION	SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Heavy Commercial Hinge Kit for 1.75" & 2" Uprights & 2.5" Posts with Strong Arm Gate Latch	2.5"	1.25"	3"	HG⊗S-25*	1	13 lbs
	2.5"	1.25"	3"	HG⊗D**	1	20 lbs


*HG⊗S-25 Kit (for single swing gates) includes: (1) pr. #MHH180 | (1) ea. #DSB250

**HG⊗D Kit (for double swing gates) includes: (2) pr. #MHH180 | (1) ea. #DSB200


NOTE: Recommend DLB100 for each gate leaf.

Kits for use with: Montage Plus Gates | Montage II Gates | Aegis Plus Gates | Aegis II Gates | Echelon Plus Gates | Echelon II Gates | Echelon Plus Arched Gates | Aegis Plus Arched Gates | Estate Gates

These kits are **NOT FOR USE** with gate leaves weighing over 420 lbs.



DOUBLE




SINGLE

Heavy Commercial Hinge Kit for 1.75" & 2" Uprights & 3" Post with Strong Arm Gate Latch	3"	1.25"	3"	HG⊗S-3	1	15 lbs
---	----	-------	----	--------	---	--------

HG⊗S-3 Kit (for single swing gates) includes: (1) pr. #MHH180 | (1) ea. #DSB300

Kit for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates | Montage II Gates | Aegis II Gates | Echelon II Gates | Aegis Plus Arched Gates | Echelon Plus Arched Gates | Estate Gates

These kits are **NOT FOR USE** with gate leaves weighing over 420 lbs.



SINGLE

Heavy Commercial Hinge Kit for 1.75" & 2" Uprights & 4" Post with Strong Arm Gate Latch	4"	1.25"	3"	HG⊗S-4	1	17 lbs
---	----	-------	----	--------	---	--------

HG⊗S-4 Kit (for single swing gates) includes: (1) pr. #MHH180 | (1) ea. #DSB100

Kit for use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates | Montage II Gates | Aegis II Gates | Echelon II Gates | Aegis Plus Arched Gates | Echelon Plus Arched Gates | Estate Gates


These kits are **NOT FOR USE** with gate leaves weighing over 420 lbs.

⊗ = **COLOR OPTIONS AVAILABLE** | **B** = Black | **N** = Bronze | **S** = Sand | Hinges are available in BLACK only

HC = hinge clearance | LC = latch clearance

Effective: 10/06/21


ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS



SINGLE

DOUBLE

SINGLE



SINGLE

DESCRIPTION	MIN. HINGE POST SIZE	LATCH POST SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Industrial Hinge Kits for 1.75" & 2" Uprights & 2.5" Posts with Strong Arm Latch FOR SINGLE GATES	4"	2.5"	1.5"	3"	IG⊗S-25*	1	20 lbs
	4"	N/A	1.5"	3"	IG⊗D**	1	25 lbs

*IG⊗S-25 Kit (for single swing gates) includes: (1) pr. #MIH180 | (1) ea. #DSB250

**IG⊗D Kit (for double swing gates) includes: (2) pr. #MIH180 | (1) ea. #DSB200
 NOTE: Recommend DLB100 for each gate leaf.

Kits for use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.

DESCRIPTION	MIN. HINGE POST SIZE	LATCH POST SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Industrial Hinge Kit for 1.75" & 2" Uprights & 3" Posts with Strong Arm Latch	4"	3"	1.5"	3"	IG⊗S-3	1	22 lbs

IG⊗S-3 Kit (for single swing gates) includes: (1) pr. #MIH180 | (1) ea. #DSB300

Kits for use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.

Industrial Hinge Kit for 1.75" & 2" Uprights & 4" Posts with Strong Arm Latch	4"	4"	1.5"	3"	IG⊗S-4	1	24 lbs
---	----	----	------	----	--------	---	--------

IG⊗S-4 Kit (for single swing gates) includes: (1) pr. #MIH180 | (1) ea. #DSB100

Kits for use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates


These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.

⊗ = **COLOR OPTIONS AVAILABLE** | **B** = Black | **N** = Bronze | **S** = Sand | Hinges are available in BLACK only

HC = hinge clearance | LC = latch clearance

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | SINGLE & DOUBLE SWING KITS



DESCRIPTION	SIZE	HC	LC	ITEM NUMBER	BOX QTY	BOX WEIGHT
Industrial Hinge Kit for 2" Uprights & 3" Post with Industrial Double Drive Gate Latch	n/a	.625" - 2.5"	3.5"	IDDSLHK*	1	46 lbs


IDDSLHK Kit (for double swing gates) includes: (2) pr. #MIH180 | (1) ea. #DDB200

Kits for use with: Impasse II Gates

Notes: Recommended for gate leaves over 60" sq. area (height x OTD) and when 6" sq. posts are required. Recommend DLB100 for each gate leaf.

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.

* Available in BLACK only



Box Hinge Kit for Welding Steel Uprights & Steel Posts with Industrial Double Drive Gate Latch	n/a	2"	3.5"	SGBDXU**	1	26 lbs
---	-----	----	------	----------	---	--------

SGBDXU Kit (for double swing gates) includes: (2) pr. #HU517 | (1) ea. #DDB200

Note: Recommend DLB100 for each gate leaf.

Kits for use with: Impasse II Gates

These kits are **NOT FOR USE** with gate leaves weighing over 3,000 lbs.


* Hinges available primered only

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand | Hinges are available in BLACK only

HC = hinge clearance | LC = latch clearance

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | GATE HINGES




DESCRIPTION	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	BOX WEIGHT
True Close Mini Multi Hinge	1.125"	TCAMA1*	1 pr	2 lbs

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Self-closing adjustment (vertical, horizontal & tension) | Super-strong engineered polymer & stainless steel construction | Horizontal & vertical adjustment up to .75"

NOT FOR USE with gate leaves weighing over 62 lbs.

* Available in BLACK only




KwikFit Pivoting Hinge	.75"	8000-2081*	1 pr	1 lbs
------------------------	------	------------	------	-------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Side-fixing legs provide quick alignment of hinges on gate & fence post | Double face-fixing (fixes to both face & post side of gate) | Super-strong engineered polymer & stainless steel construction | Won't rust, bind, snag or stain

NOT FOR USE with gate leaves weighing over 62 lbs.

* Available in BLACK only




TrueClose Hinge	.75"	8000-2112*	1 pr	1 lbs
-----------------	------	------------	------	-------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Self-closing (tension-adjustable) hinge for light to medium weight metal safety gates around pools, homes and gardens | Quick-fit alignment legs for added fitting strength

NOT FOR USE with gate leaves weighing over 66 lbs.

* Available in BLACK only



Heavy Duty TruClose Hinge	.75"	8000-2115*	1 pr	1.6 lbs
---------------------------	------	------------	------	---------

For use with: Montage Plus Gates | Montage Plus Arched Gates | Echelon Plus Gates | Echelon Plus Arched Gates

A self-closing (tension-adjustable) hinge for heavier or high-traffic metal gates (especially those with narrow frames) around commercial areas, homes and childcare centers | Quick-fit alignment legs for added fitting strength

NOT FOR USE with gate leaves weighing over 154 lbs.


* Available in BLACK only

Effective: 10/06/21

AMERISTAR
ASSA ABLOY

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

ORNAMENTAL GATE HARDWARE | GATE HINGES




DESCRIPTION	GATE POST SIZE	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Male Hinge	2"	2"	H⊗403N*	100	.46 lbs
	2.5"	2"	H⊗413N**	50	.53 lbs
	3"	2"	H⊗415N**	50	.57 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

**For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates | Aegis Plus Arched Gates
Echelon Plus Arched Gates | Estate Gates

Notes: Supplied with stainless steel fasteners | Bolts onto square posts

NOT FOR USE with gate leaves weighing over 90 lbs.



DESCRIPTION	GATE END SIZE	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Female Hinge	1.25"	2"	H⊗404N*	100	.60 lbs
	1.75"	2"	H⊗414N**	100	.66 lbs
	2"	2"	H⊗416N***	100	.68 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

**For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

***For use with: Aegis Plus Arched Gates | Echelon Plus Arched Gates | Estate Gates

Notes: Supplied with stainless steel fasteners | Bolts onto square uprights

NOT FOR USE with gate leaves weighing over 90 lbs.





Plate Pintle	.625"	2"	H⊗108N	100	.60 lbs
--------------	-------	----	--------	-----	---------

*For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

Notes: Screws or anchors to walls or other flat surfaces | Mounting fasteners not included

NOT FOR USE with gate leaves weighing over 90 lbs.



FOR STEEL
HU517

FOR ALUMINUM
HU518

Box Hinges	5"	2"	HU517*	2	4 lbs
	5"	2.375"	HU518**	2	4 lbs

*For use with: Montage Plus Gates | Aegis Plus Gates | Montage II Gates | Aegis II Gates | Impasse II Gates

**For use with: Echelon II Gates | Aegis Plus Arched Gates | Echelon Plus Arched Gates | Estate Gates

Notes: Kits require use of steel posts | Plated side of hinge is for bolting to aluminum gate frame | Non-plated side of hinge is for welding to the steel post | Hinges available primered only


Recommended for gates weighing over 90 lbs.

* Available in PRIMERED ONLY

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand W = White

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | GATE HINGES




DESCRIPTION	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	BOX WEIGHT
Residential Adjustable 180° Hinge	.5" - 1.625"	MRH180R*	1 pr	2 lbs

For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

NOT FOR USE with gate leaves weighing over 120 lbs.

** Available in BLACK only*




Commercial Adjustable 180° Hinge	.5" - 1.625"	MCH180R*	1 pr	4 lbs
---	--------------	----------	------	-------

For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

NOT FOR USE with gate leaves weighing over 240 lbs.

** Available in BLACK only*




Commercial / Industrial Adjustable 180° Hinge	.625" - 2.5"	MHH180*	1 pr	7 lbs
--	--------------	---------	------	-------

For use with: Montage Plus Gates | Montage II Gates | Aegis Plus Gates | Aegis II Gates | Echelon Plus Gates | Echelon II Gates | Estate Gates

NOT FOR USE with gate leaves weighing over 420 lbs.

** Available in BLACK only*



Heavy Industrial / Security Adjustable 180° Hinge	.625" - 2.5"	MIH180*	1 pr	20 lbs
--	--------------	---------	------	--------

For use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates


Notes: Recommended for gate leaves over 60" sq. area (height x OTD) and when 6" sq. posts are required.

NOT FOR USE with gate leaves weighing over 3,000 lbs.

** Available in BLACK only*

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | GATE LATCHES & DROP ROD




DESCRIPTION	HINGE CLEARANCE	ITEM NUMBER	BOX QTY	BOX WEIGHT
Residential LokkLatch	.75"	LLAAB*	1	1 lbs

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Key lockable | Adjusts horizontally & vertically | Push-Button External Access Kit

** Available in BLACK only*




Heavy Duty LokkLatch Deluxe	.75"	LLDAB-KSA*	1	1.32 lbs
------------------------------------	------	------------	---	----------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Operates & locks from both sides of the gate | Dual 6-pin re-keyable lock | Fully adjustable

** Available in BLACK only*




Top Pull Magna Latch	.75"	ML3TPKA*	1	1.43 lbs
-----------------------------	------	----------	---	----------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Magnetically triggered latching | Key lockable safety | Adjusts horizontally & vertically | Quick & easy to install | Patented "Lost Motion" Technology

** Available in BLACK only*




Vertical Pull Magna Latch	.75"	ML3VPKA*	1	1 lbs
----------------------------------	------	----------	---	-------

For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Magnetically triggered latching | Key lockable safety | Adjusts horizontally & vertically | Quick & easy to install | Patented "Lost Motion" Technology

** Available in BLACK only*



24" Q-Bolt Drop Rod	n/a	QB124*	1	2.6 lbs
----------------------------	-----	--------	---	---------


For use with: Montage Gates | Montage Arched Gates | Echelon Gates | Echelon Arched Gates

Notes: Padlockable security | Fits 1" or larger gate frames | Ergonomic handle

** Available in BLACK only*

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | GATE LATCHES




DESCRIPTION	LENGTH	LATCH CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Latch Hanger	1.25"	2"	H⊗301N*	100	.50 lbs
	1.75"	2"	H⊗311N**	100	.60 lbs
	2"	2"	H⊗420N***	100	.65 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

**For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

***For use with: Aegis Plus Gates | Aegis Plus Arched Gates | Echelon Plus Gates | Estate Gates


Notes: Supplied with stainless steel fasteners | Pressed steel hanger



Wall Mount Plate Latch	n/a	2"	H⊗305N	100	.30 lbs
------------------------	-----	----	--------	-----	---------

For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

Notes: Pressed steel plate | Mounting fasteners NOT INCLUDED | Bolt & nut INCLUDED for fork latch | Screw or anchor to wall or other flat surfaces



Fork Latch	1.25"	2"	H⊗401N*	100	.34 lbs
	1.75"	2"	H⊗410N**	50	.38 lbs
	2"	2"	H⊗402N***	100	.42 lbs
	2.5"	2"	H⊗411N†	50	.44 lbs
	3"	2"	H⊗412N†	50	.46 lbs

*For use with: Montage Gates | Aegis Gates | Echelon Gates

**For use with: Montage Plus Gates | Aegis Plus Gates | Echelon Plus Gates

***For use with: Montage Gates | Aegis Gates | Echelon Gates | Estate Gates | ALL ARCHED GATES


†For use with: ALL GATES

Notes: Pressed steel fork | Mounting fasteners NOT INCLUDED

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand W = White


Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | GATE LATCHES




DESCRIPTION	LENGTH	LATCH CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT EA.
Strong Arm Single Gate Latch	2.5"	3" / 4" gap	DS⊗250	1	4 lbs
	3"	3" / 4" gap	DS⊗300	1	4 lbs
	4"	3" / 4" gap	DS⊗100	1	4 lbs
	6"	3" / 4" gap	DS⊗600	1	7 lbs

For use with: Montage Plus Gates | Montage II Gates | Aegis Plus Gates | Aegis II Gates | Echelon Plus Gates | Echelon II Gates | Estate Gates
 Notes: Fits 1.75" or 2" sq. frame




Strong Arm Double Gate Latch	2.5" / 3.25" gap	3"	DS⊗200	1	6 lbs
-------------------------------------	------------------	----	--------	---	-------

For use with: Montage Plus Gates | Montage II Gates | Aegis Plus Gates | Aegis II Gates | Echelon Plus Gates | Echelon II Gates | Estate Gates
 Notes: Fits 1.75" or 2" sq. frame




Industrial Double Drive Gate Latch	2"	3.5"	DDB200†	1	7.5 lbs
---	----	------	---------	---	---------

For use with: Impasse II Gates
 Notes: Heavy duty galvanized steel double drive gate latch.
 † Available in BLACK only



Heavy Duty Slide Latch	up to 1" gap	1"	SLB100†	1	6.6 lbs
-------------------------------	--------------	----	---------	---	---------

For use with: Montage II Gates | Aegis II Gates | Echelon II Gates | Impasse II Gates
 Notes: Heavy duty galvanized steel slide latch with 1" diameter bar.
 † Available in BLACK only



Securitron GLI Gate Lock	STANDARD LOCKS				
	FAIL SAFE	2-3/4" L x 7-1/4" W x 3-1/4" D	GL-FS†	1	6 lbs
FAIL LOCKED	2-3/4" L x 7-1/4" W x 3-1/4" D	GL-FL†	1	6 lbs	

Securitron GLI Monitored Gate Lock	MONITORED LOCKS			
	FAIL SAFE MONITORED	GL-FSM†	1	6 lbs
FAIL LOCKED MONITORED	GL-FLM†	1	6 lbs	


Specification:
 Holding Force: 2000 lbs (90.7kg)
 Operating Temperature: -58 to +167F (-50 to +75C) Indoor or Outdoor Use
 Electrical: 12 Volts initial (Peak): (-1.0 sec.) @ 870mA - Reduced: 290mA Power Consumption: 3.5 Watts
 24 Volts initial (Peak): (-1.0 sec.) @ 720mA - Reduced: 170mA Power Consumption: 4.1 Watts
 † Available in BLACK only

NOTE: Lock set supplied with cylinder plugs. Keyed mortise cylinder not included (supplied by others).

Size of Cylinder	Spacer Req.	CTM Type
1"	1/4"	MS
1-1/8"	3/8"	MS

Effective: 10/06/21

ORNAMENTAL GATE HARDWARE | GATE LATCHES




DESCRIPTION	LATCH CLEARANCE	GATE END	POST	ITEM NUMBER	WEIGHT EA.
Gate Lock Flex Mounting Brackets	1"-3-3/4"	Up to 2"	Up to 3"	FMK-SLN†	14 lbs
	1"-2-3/4"	Up to 2"	Up to 3"	FMK-SWN†	14 lbs
	SHIM KIT SET OF 4			FMB9-4N†	7 lbs

Note: FMK-SL will function with GL1 when post separation is between 1" and 3-3/4"
 FMK-SQ will function with GL1 where post separation is between 1" and 2-3/4"

† Available in BLACK only

ORNAMENTAL GATE HARDWARE | DROP BOLTS & RODS



DESCRIPTION	LENGTH	ITEM NUMBER	BOX QTY	WEIGHT EA.
Cane Bolt	48"	H⊗316N	1	5 lbs

For use with: ALL GATES

Notes: .625" diameter steel cane bolt | For Residential Gates to keep gate leaf rigidly in place

Drop Rod	34"	DLB100*	1	12 lbs
----------	-----	---------	---	--------

For use with: ALL GATES

Notes: 1" diameter steel cane bolt | Heavy-duty to keep gate leaf rigidly in place

*Available in BLACK only

Surface Mounted Drop Bolt	adjustable	KDQFBL	1	13.5 lbs
---------------------------	------------	--------	---	----------

For use with: ALL RESIDENTIAL DOUBLE SWING GATES

Notes: Lockable drop bolt with cylinder | Adjustable height in x3 positions (2" per position) | Gate can be opened or closed in any position | For gate profiles 1.5" x 1.5" or greater

*Available in BLACK only

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze S = Sand W = White

Effective: 10/06/21


ORNAMENTAL GATE HARDWARE | GATE ACCESSORIES



DESCRIPTION	LENGTH	ITEM NUMBER	BOX QTY	WEIGHT EA.
Gate Spring	13"	H⊗701	30	1.3 lbs

For use with: Montage Gates | Aegis Gates | Echelon Gates | Echelon Arched Gates

Notes: Adjustable tension spring for self-closing applications | Ideal for residential ornamental swing gates | (4) #10 x .5" self-drilling screws INCLUDED



Truss Cable Kit for Ornamental Gates	n/a	MTK100	1	15 lbs
--------------------------------------	-----	--------	---	--------

For use with: ALL GATES

Notes: Mounts on all swing gates with gusset plates in corners

*Kit includes: (1) ea .3125" - 18 x 4.5" Jaw & Eye Turnbuckle
(2) ea .1875" Cable Clamps
(12') .1875" Black PVC Coated Steel*


**Available in BLACK only*

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **S** = Sand **W** = White

Effective: 10/06/21

SURECLOSE® GATE HARDWARE | STEEL HINGES


EXTERNAL MOUNT | .5"- 1.375" HINGE GAP | 180° MAX SWING | HORIZONTALLY & VERTICALLY ADJUSTABLE | SOLD INDIVIDUALLY



HINGE / SM

DESCRIPTION	SELF-CLOSING	MAX GATE OPEN POSITION	FINAL SNAP ACTION	ITEM NUMBER	POOL / CHILD SAFETY
RF <u>SMW</u> – ReadyFit Hinge	⊘	⊘	⊘	74001315T	⊘
RF <u>108W</u> – ReadyFit Closer	from 83°	178°	✓	74108315T	⊘
RF <u>108SF W</u> – ReadyFit Closer	from 88°	88°	✓	74108325T	✓*

Note: SF Hinges require gate stop.




GATE STOP

RF – Gate Stop	⊘	85°	⊘	7403	⊘
----------------	---	-----	---	------	---

Notes: Gate mounting brackets & fasteners INCLUDED with hinge/closers | SF gates WILL NOT hold open at 90° (excluding SAFETY GATES). DO NOT use a hinge with a 90° hold open feature for POOL GATES | Gate Stop must be installed when using SF models – gate MUST NOT be allowed to open past 90° – doing so VOIDS WARRANTY.

SURECLOSE® GATE HARDWARE | ALUMINUM HINGES


EXTERNAL MOUNT | .5"- 1.375" HINGE GAP | 180° MAX SWING | HORIZONTALLY & VERTICALLY ADJUSTABLE | SOLD INDIVIDUALLY



HINGE / SM

DESCRIPTION	SELF-CLOSING	MAX GATE OPEN POSITION	FINAL SNAP ACTION	ITEM NUMBER	POOL / CHILD SAFETY
RF <u>SMS</u> – ReadyFit Hinge	⊘	⊘	⊘	74001313T	⊘
RF <u>108S</u> – ReadyFit Closer	from 83°	178°	✓	74108313T	⊘
RF <u>108SF S</u> – ReadyFit Closer	from 88°	88°	✓	74108323T	✓*

Note: SF Hinges require gate stop.



GATE STOP

RF – Gate Stop	⊘	85°	⊘	7403	⊘
----------------	---	-----	---	------	---

Notes: Gate mounting brackets & fasteners INCLUDED with hinge/closers | SF gates WILL NOT hold open at 90° (excluding SAFETY GATES) DO NOT use a hinge with a 90° hold open feature for POOL GATES | Gate Stop must be installed when using SF models – gate MUST NOT be allowed to open past 90° – doing so VOIDS WARRANTY

Effective: 10/06/21

AMERISTAR

ASSA ABLOY

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

SURECLOSE® GATE HARDWARE

EXTERNAL MOUNT | .5" - 1.375" HINGE GAP | 180° MAX SWING | HORIZONTALLY & VERTICALLY ADJUSTABLE | SOLD INDIVIDUALLY

SURECLOSE® HINGE COMBINATIONS QUICK REFERENCE GUIDE


HINGE COMBINATIONS	SELF-CLOSING GATE MAX WEIGHT	POINT LOAD CAPACITIES
<u>108</u> + <u>SM</u>	180 lbs* / 80 kgs*	1,500 lbs / 680 kgs
<u>108S</u> W	180 lbs* / 80 kgs*	1,500 lbs / 680 kgs
<u>108S</u> S	180 lbs* / 80 kgs*	1,500 lbs / 680 kgs
<u>108</u> + <u>108</u>	260 lbs* / 120 kgs*	1,500 lbs / 680 kgs
<u>SM</u> + <u>SM</u>	n/a	1,500 lbs / 680 kgs

* BASED ON MAX GATE SIZE / 72" h x 40" w (1,800 mm x 1,000 mm)
 SM = Non-Self Closing Hinge | 108 = Self-Closing Hinge / 85° - 90° (holds gate open at 90°)



SURECLOSE® POOL LATCH & BRACKET SAFETY WARNING

FIFTH DIMPLE



Pool & child safety gate latch hardware (SF) can be identified visually very easily by locating the "fifth dimple" on the end cap.

**DO NOT USE ANY NON-SF MODELS (with only four dimples)
 ON GATES WHERE HUMAN SAFETY COULD BE AT RISK!**

Effective: 10/06/21